CLASSIFICATION RESTRICTED

NTRAL INTELLIGENCE AGENCY

REPORT

STAT

COUNTRY

USSR

DATE DISTR. 3 August 1948

SUBJECT

**Hydrodynamics** 

NO OF PAGES 3

PLACE ACQUIRED

USSR

NO. OF ENCLS.

DATE OF INFORMATION

February 1948

SUPPLEMENT TO REPORT NO.

STAT

THIS IS UNEVALUATED INFORMATION FOR THE RESEARCH USE OF TRAINED INTELLIGENCE ANALYSTS

Russian periodical, Horskoy Flot No 2, 1948. (FDB Per Abs 39747 - Translation specifically requested.)

## THE HEIGHT ATTAINED BY A WAVE AGAINST A SLOPING STRUCTURE

P. Bozhich Dr . Tech Sci

The formulas of N. N. Dahmkovskiy (The Action of Find Eaves on Hydrotechnical Installations," 1940, and "Experimental Study of the Action of a Swell on Hydrotechnical Installations With Sloped Walls," Collection of Works of the Hoscow Engineering Construction Institute imeni Kuytyshev, No 3, 1939) and B. A. Pyshkin (Histocrologiva i Gidrologiva, No 7/8, 1939; Horskov Flot No 5, 1947) were proposed for calculating the height attained by a wave on a straight flat slope of an installation. The first of these, which is applicable to slopes with gradients from 1:1 to 1:4.0 has the form

where Ho is the unknown height attained by the wave above the level of calm water; H is the height of the wave at a distance as it approaches the structures of is the angle of inclination of the sloping edge of the installation to the horizon; K is a coefficient which depends upon the degree of roughness of this edge (according to Dahunkovskiy, K = 1.6 for concrete and smooth pavement, and K = 0.8 for stone heaps).

Pyshkin's formula refers to slopes with inclinations from 1:1.0 to 1:6.0 and has the form

$$\frac{0.565H}{\text{Ctg} \propto \sqrt{n}} \tag{2}$$

where H., H, and X are so above, the unknown height attained by the wave, the height of the wave, and the angle of inclination of the sloping edge of the installation to the horison, and n is the coefficient of roughness of this edge according to Ganil' and Cutter.

		CLASSIFICATION	RESTRICTED	and the second		
STATE	X MAYY	X MSR8	DISTRIBUT	TION		
ARMY	Z AIR	RDB 1			N	

STAT

## RESTRICTED

These formulas were checked by the author of the present article in his MCDNIRF wave laboratory, which is shown in Figure 1 (see description of the laboratory in "New Wave-Producing Equipment of P. K. Boshich's System," Yedney Transport, No 8, 1939). Figure 1, a photograph, is not reproduced.

One hundred thirty-five coperiments were made with alopes of 1:2.0, 1:2.5, and 1:3.0 which were covered with different types of stone paving as follows: (a) heaps of stone of various size with the weight of each stone 12-20 g, 40-60 g, 95-160 g, 190-310 g, and 320-540 g; (b) stone paving of the same dimensions; (c) concrete slab paving 50 x 50 x 20 mm and 100 x 100 x 10 mm.

The experiments were made using different stable wave regimes, with two-dimensional progressive waves from 100 to 170 mm high and 1,10 to 2.80 m long.

Results of the experiments are presented in the table and in Figure 2, where they are compared with the corresponding data calculated by formulas (1) and (2), using the following values:

- (1) The value of K is 0.8 for stone heaps and 1.0 for concrete slabs as the author of formula (1) recommended, and an intermediate value K  $\approx$  0.9 was selected for paving which had an average rough surface between the extremes of stone heaps and the slab pavings in the experiments which we conducted.
- (2) The value n is 0.01 for concrete slab paving, 0.02 for pavement, and 0.04 for stone bears.

This material shows that of the two analyzed formulas, the first (Dahun-hovskiy) gave results for all the inclinations and revenents of the alopes which were such closer to the experimental data than the second formula (Fyshkin). An analogous conclusion was made by the author of the present article when another experimental study was made earlier. The tendency of the values of H<sub>0</sub> to be higher when calculated according to formula (2) which is shown in Table 1 and Figure 2 has already been observed in literature by other authors. (See V. G. Andrewsnow, "The Reight Attained by a Wave on Installations," Materializes 1 Charological No 8, 1940.)

For all of these reasons it is preferable in all cases here covered by the experimental studies to use Dahunkovskiy's formula. According to the materials presented above, formula (1) has the closest approximation of calculated values of H, to their experimental values for concrete slab pavings on a slope, while this formula gave somewhat higher values for H<sub>1</sub> in the case of pavenent and stone heaps. These values, however, can approach the experimental by a slight decrease of the corresponding values of the coefficient K, 1.0., by using lower values than those given above:

- a) 1.1 times lower for pavement, i.e., by taking  $K = \frac{0.9}{1.1} \stackrel{\bigcirc}{\bigcirc} 0.8$
- b) 1,2 times lower for stone beeps, i.e.,  $K = \frac{0.8}{1.2} \frac{0.0}{0.7}$

The graphs corrected in this namer are shown in Figure 2 by broken lines.

- 2 -

RESTRUCTED

RESTRICTED


STAT

## RESTRICTED

Table 1. Basic Date of Experimental Tests of Formulas (1) and (2)

	Type of Stone Paving of the Slope	Average ratios of values of H <sub>O</sub> calculated by formula (1) to their experimental values				Average ratios of values of H <sub>O</sub> calculated by formula (2) to their experimental values			
		Slope	1:2.0	1:2.5	1:3.0	Slope	1:2.0	1:2.5	143.0
	Stone heaps		1.27	1.39	1.18		1.38	1.54	1.30
	Pavement		1.47	1.14	1.15		1.98	1.55	1.59
	Slab pavement		1.24	0.92	1.03		2,19	1.60	1.83

Figure 2



## Designations:

o---o according to Dahankovskiy
the same, with corrected coefficient K
according to Fyshkin

- END

RESTRICTED

RESTRICTED